




S723

Portata massima Flow max. rate	230 l/min 61 gpm
Pressione massima Pressure max.	700 bar 70 MPa 10150 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	1,7 kg - 3,8 lbs




Per pompe - For pumps

KE - KT - KF - HF - KS
MW - MK - MKS


S1503

Portata massima Flow max. rate	30 l/min 7.9 gpm
Pressione massima Pressure max.	1500 bar 150 MPa 21755 psi
Temperatura max. - Temp max.	40°C - 104°F
Peso - Weight	1 kg - 2,2 lbs




Per pompe - For pumps

VFH - VKH - SM14



S1510

Portata massima Flow max. rate	100 l/min 26.4 gpm
Pressione massima Pressure max.	1500 bar 150 MPa 21755 psi
Temperatura max. - Temp max.	40°C - 104°F
Peso - Weight	2,7 kg - 5,95 lbs




Per pompe - For pumps

SM - SKH



S1520

Portata massima Flow max. rate	240 l/min 63 gpm
Pressione massima Pressure max.	1500 bar 150 MPa 21755 psi
Temperatura max. - Temp max.	40°C - 104°F
Peso - Weight	8 kg - 17,8 lbs




Per pompe - For pumps

SRhp- TRhp



S455

Portata massima Flow max. rate	500 l/min 132 gpm
Pressione massima Pressure max.	450 bar 45 MPa 6525 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	3,2 kg - 7,2 lbs




Per pompe - For pumps

MW - MK - MKS
LK - MF


S4090

Portata massima Flow max. rate	950 l/min 251 gpm
Pressione massima Pressure max.	400 bar 40 MPa 5800 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	20 kg - 45 lbs




Per pompe - For pumps

SRlp- TRlp



R1

	R1 200	R1 400	R1 600
Portata massima Flow max. rate	110 l/min 29 gpm	110 l/min 29 gpm	70 l/min 18.5 gpm
Pressione massima Pressure max.	200 bar 20 MPa 2900 psi	400 bar 40 MPa 5800 psi	600 bar 60 MPa 8700 psi
Temperatura max. Temp max.	85°C - 185°F	85°C - 185°F	85°C - 185°F
Peso - Weight	2,5 kg - 5,5 lbs	2,5 kg - 5,5 lbs	2,5 kg - 5,5 lbs




Per pompe - For pumps

KE - KT 16 - 18 - 20
22 - 24 - 30 - 32
KF 28 - 30 - KS 28


R2

Portata massima Flow max. rate	230 l/min 61 gpm
Pressione massima Pressure max.	210 bar 21 MPa 3045 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	4,5 kg - 9,9 lbs




Per pompe - For pumps

KT - KF - KS



R2L

Portata massima Flow max. rate	230 l/min 61 gpm
Pressione massima Pressure max.	210 bar 21 MPa 3045 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	5 kg - 11 lbs




Per pompe - For pumps

KT - KF - KS



TIMAX 100

Portata massima Flow max. rate	200 l/min 52.8 gpm
Pressione massima Pressure max.	100 bar 10 MPa 1450 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	1,7 kg - 3,7 lbs




Per pompe - For pumps

KE - KT - KTM - KFM
MWM - MKM



R3LP

Portata massima Flow max. rate	500 l/min 132 gpm
Pressione massima Pressure max.	230 bar 23 MPa 3336 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	6 kg - 13,2 lbs




Per pompe - For pumps

MW - MK - MKS - LK



R3HP

Portata massima <i>Flow max. rate</i>	341 l/min 90 gpm
Pressione massima <i>Pressure max.</i>	450 bar 45 MPa 6527 psi
Temperatura max. - <i>Temp max.</i>	85°C - 185°F
Peso - <i>Weight</i>	5,3 kg - 11,7 lbs



Per pompe - *For pumps*

MW - MK - MKS - LK



R1503

Portata massima <i>Flow max. rate</i>	30 l/min 7.9 gpm
Pressione massima <i>Pressure max.</i>	1500 bar 150 MPa 21755 psi
Temperatura max. - <i>Temp max.</i>	40°C - 104°F
Peso - <i>Weight</i>	6,3 kg - 14,3 lbs



Per pompe - *For pumps*

VFH - VKH - SM14



R1510

Portata massima <i>Flow max. rate</i>	100 l/min 26.4 gpm
Pressione massima <i>Pressure max.</i>	1500 bar 150 MPa 21755 psi
Temperatura max. - <i>Temp max.</i>	40°C - 104°F
Peso - <i>Weight</i>	10 kg - 22 lbs



Per pompe - *For pumps*

SM - SKH



R1520

Portata massima <i>Flow max. rate</i>	240 l/min 63 gpm
Pressione massima <i>Pressure max.</i>	1500 bar 150 MPa 21750 psi
Temperatura max. - <i>Temp max.</i>	40°C - 104°F
Peso - <i>Weight</i>	9 kg - 20 lbs



Per pompe - *For pumps*

SRhp - TRhp



R4090

	LP	HP
Portata massima <i>Flow max. rate</i>	965 l/min 255 gpm	833 l/min 220 gpm
Pressione massima <i>Pressure max.</i>	220 bar 22 MPa 3190 psi	400 bar 40 MPa 5800 psi
Temperatura max. <i>Temp max.</i>	60°C - 140°F	
Peso - <i>Weight</i>	37 kg - 82 lbs	



Per pompe - *For pumps*

SRlp - TRlp



BH210

Portata massima Flow max. rate	110 l/min 29 gpm
Pressione massima Pressure max.	210 bar 21 MPa 3045 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	1,95 kg - 4,3 lbs




Per pompe - For pumps

KE - KT



H560

Portata massima Flow max. rate	60 l/min 15.8 gpm
Pressione massima Pressure max.	500 bar 50 MPa 7250 psi
Temperatura max. - Temp max.	60°C - 140°F
Peso - Weight	2,7 kg - 5,95 lbs




Per pompe - For pumps

KE - KT - HF



BKX600

Portata massima Flow max. rate	60 l/min 15.8 gpm
Pressione massima Pressure max.	600 bar 60 MPa 8700 psi
Temperatura max. - Temp max.	60°C - 140°F
Peso - Weight	7,74 kg - 17,03 lbs




Per pompe - For pumps

KE - KT - HF



RA2

Portata massima Flow max. rate	230 l/min 61 gpm
Pressione massima Pressure max.	210 bar 21 MPa 3045 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	4,8 kg - 10,6 lbs




Per pompe - For pumps

KT - KF - KS




RA2L

Portata massima Flow max. rate	230 l/min 61 gpm
Pressione massima Pressure max.	210 bar 21 MPa 3045 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	5,3 kg - 11,7 lbs



Per pompe - For pumps


KT - KF - KS



PN2



	PN2 140	PN2 250	PN2 500
Portata massima Flow max. rate	230 l/min 61 gpm	230 l/min 61 gpm	230 l/min 61 gpm
Pressione massima Pressure max.	140 bar 14 MPa 2030 psi	250 bar 25 MPa 3626 psi	500 bar 50 MPa 7250 psi
Temperatura max. Temp max.	60°C - 140°F	60°C - 140°F	60°C - 140°F
Peso - Weight	16 kg - 35,2 lbs	16 kg - 35,2 lbs	16 kg - 35,2 lbs




Per pompe
For pumps

KE - KT - KF
KS - MW

PN4



	PN4 200	PN4 300	PN4 450
Portata massima Flow max. rate	500 l/min 132 gpm	390 l/min 103 gpm	260 l/min 69 gpm
Pressione massima Pressure max.	200 bar 20 MPa 2900 psi	300 bar 30 MPa 4350 psi	450 bar 45 MPa 6530 psi
Temperatura max. Temp max.	60°C - 140°F	60°C - 140°F	60°C - 140°F
Peso - Weight	16 kg - 35 lbs	16 kg - 35 lbs	16 kg - 35 lbs




Per pompe - For pumps

MW - MK - MKS - LK

PNR2



Portata massima Flow max. rate	230 l/min 61 gpm
Pressione massima Pressure max.	210 bar 21 MPa 3045 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	4,7 kg - 10,3 lbs




Per pompe - For pumps

KT - KF - KS

PNRA2



Portata massima Flow max. rate	230 l/min 61 gpm
Pressione massima Pressure max.	210 bar 21 MPa 3045 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	5 kg - 11 lbs




Per pompe - For pumps

KT - KF - KS



PNR1503

Portata massima Flow max. rate	30 l/min 7.9 gpm
Pressione massima Pressure max.	1500 bar 150 MPa 21755 psi
Temperatura max. - Temp max.	40°C - 104°F
Peso - Weight	6 kg - 13,2 lbs




Per pompe - For pumps
VFH - VKH - SM14



PNR1510

Portata massima Flow max. rate	100 l/min 24.4 gpm
Pressione massima Pressure max.	1500 bar 150 MPa 21755 psi
Temperatura max. - Temp max.	40°C - 104°F
Peso - Weight	13,5 kg - 29,7 lbs




Per pompe - For pumps
SM - SKH



PNR1520

Portata massima Flow max. rate	240 l/min 63 gpm
Pressione massima Pressure max.	1500 bar 150 MPa 21755 psi
Temperatura max. - Temp max.	40°C - 104°F
Peso - Weight	13,5 kg - 29,7 lbs




Per pompe - For pumps
SRhp - TRhp




PNR4090

	LP	HP
Portata massima Flow max. rate	965 l/min 255 gpm	833 l/min 220 gpm
Pressione massima Pressure max.	220 bar 22 MPa 3190 psi	400 bar 40 MPa 5800 psi
Temperatura max. Temp max.	60°C - 140°F	
Peso - Weight	43 kg - 95 lbs	




Per pompe - For pumps
SRIp - TRIp



SX2

Portata massima Flow max. rate	190 l/min 50.1 gpm
Pressione massima Pressure max.	600 bar 60 MPa 8700 psi
Temperatura max. - Temp max.	60°C - 140°F
Peso - Weight	1,5 kg - 3,4 lbs




Per pompe - For pumps

SS70 - SN70 - SN71
HFN


SX3

Portata massima Flow max. rate	500 l/min 132 gpm
Pressione massima Pressure max.	300 bar 30 MPa 4350 psi
Temperatura max. - Temp max.	60°C - 140°F
Peso - Weight	2,5 kg - 5,5 lbs



Per pompe - For pumps


MWN - LKN

VALVOLE REGOLAZIONE INOX - S. S. REGULATING VALVES



R1X

	R1X 200	R1X 400	R1X 600
Portata massima Flow max. rate	110 l/min 29 gpm	110 l/min 29 gpm	70 l/min 18.5 gpm
Pressione massima Pressure max.	200 bar 20 MPa 2900 psi	400 bar 40 MPa 5800 psi	600 bar 60 MPa 8700 psi
Temperatura max. Temp max.	85°C - 185°F	85°C - 185°F	85°C - 185°F
Peso - Weight	2,5 kg - 5,5 lbs	2,5 kg - 5,5 lbs	2,5 kg - 5,5 lbs




Per pompe - For pumps

SS70 - SN70 - SN71
HFN


R3Xlp

Portata massima Flow max. rate	500 l/min 132 gpm
Pressione massima Pressure max.	230 bar 23 MPa 3336 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	6 kg - 13,2 lbs




Per pompe - For pumps

MWN - LKN



R3Xhp

Portata massima Flow max. rate	341 l/min 90 gpm
Pressione massima Pressure max.	450 bar 45 MPa 6527 psi
Temperatura max. - Temp max.	85°C - 185°F
Peso - Weight	5,3 kg - 11,7 lbs




Per pompe - For pumps

MWN - LKN



PN15

Portata massima Flow max. rate	80 l/min 21 gpm
Pressione massima Pressure max.	1500 bar 150 MPa 21755 psi
Temperatura max. - Temp max.	60°C - 140°F
Peso - Weight	13,5 kg - 30 lbs




Per pompe - For pumps

VF - VK - SM - SK
SRhp - TR hp



PN14/800

Portata massima Flow max. rate	120 l/min 31.7 gpm
Pressione massima Pressure max.	800 bar 80 MPa 11600 psi
Temperatura max. - Temp max.	60°C - 140°F
Peso - Weight	14 kg - 30,8 lbs




Per pompe - For pumps

VF - VK - SM - SK
SRhp - TR hp



PN14/1500

Portata massima Flow max. rate	80 l/min 21.1 gpm
Pressione massima Pressure max.	1500 bar 150 MPa 21800 psi
Temperatura max. - Temp max.	60°C - 140°F
Peso - Weight	13 kg - 28,6 lbs



Per pompe - For pumps


VF - VK - SM - SK
SRhp - TR hp



UD1



Portata massima <i>Flow rate max.</i>	180 l/min 48 gpm
Pressione massima <i>Pressure max.</i>	250 bar 25 MPa 3650 psi
Temperatura max. - <i>Temp max.</i>	60°C - 140°F
Peso - <i>Weight</i>	1,2 kg - 2,64 lbs
Pressione apertura <i>Release pressure</i>	Optional 5 bar - 73 psi
	Standard 0,2 bar - 3 psi




Per pompe - *For pumps*
KE - KT - KF - HF - MW

VALVOLE A PEDALE - *FOOT VALVES*

VP15



Portata massima <i>Flow max. rate</i>	80 l/min 21.1 gpm
Pressione massima <i>Pressure max.</i>	1500 bar 150 MPa 21755 psi
Temperatura max. - <i>Temp max.</i>	60°C - 140°F
Peso - <i>Weight</i>	10,5 kg - 23,1 lbs



Per pompe - *For pumps*
VF - WK - SM - SK
KV - HF